according to Regulation (EU) 2020/878

Page 1/9

Supagard Glass Cleaner

20 Revision

Revision date 2022-11-09

1.1. Product identifier

Product name	Supagard Glass Cleaner
--------------	------------------------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and

cleaning products (including solvent based products);

[SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen); [PC35] Washing and cleaning products (including solvent based products);

Description This powerful cleaner breaks through even the toughest dirt and grime on screens, windows and

mirrors, leaving a sparkling streak free finish.

1.3. Details of the supplier of the safety data sheet

Company SUPAGARD LIMITED

Address 19-27 Gavinton Street

> Muirend Glasgow G44 3EF

Web www.supagard.com

0141 633 5933 Telephone

Fax 01416377219

Email James.Smyth@supagard.com Email address of the James.Smyth@supagard.com

competent person

1.4. Emergency telephone number

Emergency telephone number

01416335933

8.30am to 5.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Flam. Liq. 3: H226; Eye Irrit. 2: H319;

2.2. Label elements

Revision 20 Revision date 2022-11-09

2.2. Label elements

2.2. Label elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation.
Precautionary Statement:	P102 - Keep out of reach of children.
Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P264 - Wash hands and other contacted skin thoroughly after handling.
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.
INFORMATION	Isopropyl Alcohol, Butylene Glycol, Less than 5% Non-ionic Surfactants.
	Contains - Propan-2-ol, 2-butoxyethanol.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	

4.2. Most important symptoms and effects, both acute and delayed

4.2. Woot important symptoms and shoots, both douts and dolayed			
Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.		
Eye contact	Irritating to eyes.		
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.		

Revision 20 Revision date 2022-11-09

4.2. Most important sympton	oms and effects, both acute and delayed
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any imme	ediate medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention
	if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting	g measures
5.1. Extinguishing media	
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the
	surrounding environment.
5.2. Special hazards arisin	g from the substance or mixture
	Flammable liquid and vapour.
5.3. Advice for firefighters	
0.0. / tavioc for incligitions	Fire fighters about warmacht and marking process has thing arranged (CCDA) and full
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires.
	Use extinguishing measures that are appropriate to local circumstances and the surrounding
	environment.
SECTION 6: Accidental	release measures
6.1. Personal precautions,	protective equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of
	ignition.
6.2. Environmental precaut	tions
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material	for containment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for
	disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sec	ctions
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling a	and storage
7.1. Precautions for safe ha	
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe sto	orage, including any incompatibilities
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun
	Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly
	closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	This powerful cleaner breaks through even the toughest dirt and grime on screens, windows and

Revision 20 Revision date 2022-11-09

7.3. Specific end use(s)

mirrors, leaving a sparkling streak free finish.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2-butoxyethanol	Acute inhalation - Systemic	1091 mg/m³		
	effects			
	Acute inhalation - Local effects	246 mg/m³	Acute dermal - Systemic effects	89 mg/kg
	Long-term - inhalation - Systemic	98 mg/m³	Long-term - dermal - Systemic	125 mg/kg
	effects		effects	
propan-2-ol	Long-term - inhalation - Systemic	500 mg/m³		
	effects			
	Long-term - dermal - Systemic	888 mg/kg		
	effects			

Exposure Pattern - General population

2-butoxyethanol	Acute inhalation - Systemic	426 mg/m³		
	effects			
	Acute dermal - Systemic effects	89 mg/kg	Acute oral - Systemic effects	26.7 mg/kg
	Long-term - inhalation - Systemic	59 mg/m³	Long-term - inhalation - Local	147 mg/m³
	effects		effects	
	Long-term - dermal - Systemic	75 mg/kg	Long-term - oral - Systemic effects	6.3 mg/kg
	effects			
propan-2-ol	Long-term - inhalation - Systemic	89 mg/m³		
	effects			
	Long-term - dermal - Systemic	319 mg/kg	Long-term - oral - Systemic effects	26 mg/kg
	effects			

8.2. Exposure controls





Revision 20 Revision date 2022-11-09

8.2. Exposure controls

Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations or vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection
Skin protection Handprotection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

No data available

Soluble in water

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid Colour Clear/Blue Odour Alcoholic рΗ 6 - 9 Melting point No data available Initial boiling point No data available 40 °C Flash point **Evaporation rate** No data available Flammability (solid, gas) No data available Vapour Flammability No data available No data available Vapour pressure **Relative Vapour Density** No data available Density / Relative Density No data available Partition coefficient No data available No data available Autoignition temperature Viscosity < 50 centipoise **Explosive properties** No data available

9.2. Other information

Oxidising properties

Solubility

Conductivity
Surface tension
Specific gravity
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available

Water solubility

Soluble.

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

Revision 20 Revision date 2022-11-09

	Revision date 2022-11-0
9.2.2. Other safety characteristic	CS
	No data is available on this product.
SECTION 10: Stability and r	eactivity
10.1. Reactivity	
	Flammable liquid. Stable under normal conditions.
10.2. Chemical stability	
	Flammable liquid. Stable under normal conditions.
10.3. Possibility of hazardous re	eactions
	Oxidising agents. Combustible materials.
10.4. Conditions to avoid	
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
10.5. Incompatible materials	
	Oxidising agents.
10.6. Hazardous decomposition	products
	No Hazardous decomposition products when stored and handled correctly.
SECTION 11: Toxicological	information
11.1 Information on hazard clas	ses

11.1 Information on hazard class	ses	
	This mixture has not been tested as a whole for health effects. Th calculated using the methods outlined in Regulation (EC) No 1272	
Acute toxicity	based on available data the classification criteria are not met.	
	Oral ATE = >10,000 mg/kg.	
	Dermal ATE = >10,000 mg/kg.	
	Inhalation - Dust/Mist ATE = >20mg/l.	
Skin corrosion/irritation	based on available data the classification criteria are not met.	
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.	
Respiratory or skin sensitisation	based on available data the classification criteria are not met.	
Germ cell mutagenicity	based on available data the classification criteria are not met.	
Carcinogenicity	based on available data the classification criteria are not met.	
Reproductive toxicity	based on available data the classification criteria are not met.	
STOT-single exposure	based on available data the classification criteria are not met.	
STOT-repeated exposure	based on available data the classification criteria are not met.	
Aspiration hazard	based on available data the classification criteria are not met.	
Repeated or prolonged	based on available data the classification criteria are not met.	
exposure		
11.1.2. Mixtures		
	No data available.	
11.1.3. Hazard Information		
	No data available.	
11.1.4. Toxicological Information	1	
2-butoxyethanol	Dermal Rat LD50: 1100 mg/kg	Oral Rat LD50: 1300 mg/kg

Inhalation Rat LC50/4 h: 11.0 mg/l

Inhalation Rat LC50/6 h: >10000ppm

Dermal Rabbit LD50: 13900 mg/kg

propan-2-ol

Oral Rat LD50: 5840 mg/kg

Revision 20 Revision date 2022-11-09

1	1.2	Inform	ation o	n othe	r hazards
---	-----	--------	---------	--------	-----------

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

2-butoxyethanol	Daphnia EC50/48h: 1550.0000 mg/l	Algae EC50/72h: 1840 mg/
	Rainbow trout LC50/96h: 1474 mg/l	
	EC50 for marine or freshwater >100.0000 mg/l	LC50 for marine or freshwater >100.0000 mg/l
	organisms	organisms
propan-2-ol	Daphnia EC50/48h: 10000.0000 mg/l	Fish LC50/96h: 4200.0000 mg/l
	Fathead minnows LC50/96h: 9640 mg/l	

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

12.3. Bioaccumulative potential

The product is not bioaccumulating.

Partition coefficient

Supagard Glass Cleaner No data available	propan-2-ol 0.05 log P
2-butoxyethanol 0.8 log P	

12.4. Mobility in soil

This product is soluble in water.

12.5. Results of PBT and vPvB assessment

This substance/mixture is not classified as PBT or vPvB according to current criteria.

12.6 Endocrine disrupting properties

No data is available on this product.

12.7. Other adverse effects

No data is available on this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

General information

Dispose of in compliance with all local and national requirements.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

Revision 20 Revision date 2022-11-09

	Nevision date 2022-11-09				
14.1. UN number					
	UN1993				
14.2. UN proper shipping name					
	FLAMMABLE LIQUID, N.O.S. (contains Isopropanol)				
14.3. Transport hazard class(es)					
ADR/RID	3				
Subsidiary risk] -				
IMDG	3				
Subsidiary risk	-				
IATA	3				
Subsidiary risk	-				
14.4. Packing group					
Packing group					
14.5. Environmental hazards	14.5. Environmental hazards				
Environmental hazards	No				
Marine pollutant	No				
14.6. Special precautions for use	er				
	No additional special precautions.				
14.7 Maritime Transport in bulk	according to IMO instruments				
	Not applicable.				
ADR/RID					
Hazard ID	30				
Tunnel Category	(D/E)				
IMDG					
EmS Code	F-E S-E				
IATA					
Packing Instruction (Cargo)	366				
Maximum quantity	220 L				
Packing Instruction	355				
(Passenger)					
Maximum quantity	60 L				

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Revision 20 Revision date 2022-11-09

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	2 - Further information.
	2 - SUPPLEMENTAL HAZARD INFORMATION.
	9 - 9.2.2. Other safety characteristics.
	9 - 9.2.1. Information with regard to physical hazard classes.
	11 - Acute toxicity.
	11 - Repeated or prolonged exposure.
	11 - 11.2 Information on other hazards.
	12 - 12.1. Toxicity.
	12 - 12.6 Endocrine disrupting properties.
	12 - 12.7. Other adverse effects.
	15 - Regulations.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation
	(EC) No. 1272/2008, as retained and amended in UK law.
	Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 40 degC.
	Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness.
	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
	Skin Irrit. 2: H315 - Causes skin irritation.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.